



GLOBALITCERT
WWW.GLOBALITCERT.COM

update="http://si.info.apple.com/updates/MacintoshGuide_s...

QUESTIONS AND ANSWERS

PRACTICE EXAMINATION

```
// end month (zero-based)
// end day of week in month
// end day of week (one-based, 1 = 1)
// end time*
// * in units of 0.1 hours, so 35 = 3.5 hours.
// Some time zones do not observe Daylight Savings Time. For those,
// the last 8 elements are zero.
// Example:
// [-80, "PST", 3, 1, 1, 20, 9, -1, 1, 20]
```

```
MCLK_Color=10
MCLK_Gray=22
ITA_Color=9
ITA_Gray=0
```

```
[ "America/Los_Angeles", "Pacific Standard Time", "PST",
  "Pacific Daylight Time", "PDT", "San Francisco" ],
[ "America/Denver", "Mountain Standard Time", "MST",
  "Mountain Daylight Time", "MDT", "Denver" ],
[ "America/Phoenix", "Mountain Standard Time", "MST",
  "Mountain Standard Time", "MST", "Phoenix" ],
[ "America/Chicago", "Central Standard Time", "CST",
  "Central Daylight Time", "CDT", "Chicago" ],
[ "America/New_York", "Eastern Standard Time", "EST",
  "Eastern Daylight Time", "EDT", "New York" ],
[ "America/Indianapolis", "Eastern Standard Time", "EST",
  "Eastern Standard Time", "EST", "Indianapolis" ],
[ "Pacific/Honolulu", "Hawaii Standard Time", "HST",
  "Hawaii Standard Time", "HST", "Honolulu" ],
[ "America/Anchorage", "Alaska Standard Time", "AKST",
```

PREPARE WITH CONFIDENCE

WWW.GLOBALITCERT.COM

QUESTION 1

Using drag and drop, match each network configuration file with its common definition.

place here	Contains DNS client configuration information		
place here	Defines databases to be used and search order for aliases, password, hosts, etc.		
place here	Used for permission checking when executing remote mounts, remote logins, and		
place here	Associates Internet (IP) addresses with official network names and aliases.		
/etc/netgroup	/etc/nsswitch.conf	/etc/resolv.conf	/etc/networks

Answer:

/etc/resolv.conf	Contains DNS client configuration information		
/etc/nsswitch.conf	Defines databases to be used and search order for aliases, password, hosts, etc.		
/etc/netgroup	Used for permission checking when executing remote mounts, remote logins, and		
/etc/networks	Associates Internet (IP) addresses with official network names and aliases.		
/etc/netgroup	/etc/nsswitch.conf	/etc/resolv.conf	/etc/networks

QUESTION 2

Using drag and drop, match each backup/archive tool with its operation.

HP0-A01 HP-UX 11i v3 System Administration

	Functions	Tools
place here	generate backup of root volume group on a bootable tape media	fbackup
place here	do scheduled online backups of Oracle database	dd
place here	create a backup of a filesystem using complex file selection criteria	make_tape_recovery
place here	generate an archive on tape of some files in a directory	cpio
place here	create a byte by byte copy of a whole disk	tar
place here	create archive using find command to select files	Data Protector

Answer:

	Functions	Tools
tar	generate backup of root volume group on a bootable tape media	fbackup
cpio	do scheduled online backups of Oracle database	dd
dd	create a backup of a filesystem using complex file selection criteria	make_tape_recovery
make_tape_recovery	generate an archive on tape of some files in a directory	cpio
Data Protector	create a byte by byte copy of a whole disk	tar
fbackup	create archive using find command to select files	Data Protector

QUESTION 3

Which command determines which device files are configured for boot, root, swap and dump?

- A. lifs -v vg00
- B. lvlnboot -v vg00
- C. vgdisplay -v vg00
- D. lvdisplay -v /dev/vgroot

Answer: B

QUESTION 4

What is the purpose of the extendfs command?

- A. increases the size of active swap

- B. increases the size of a logical volume
- C. extends a file system within a logical volume
- D. shares a logical volume with another system
- E. extends a logical volume across volume groups

Answer: C

QUESTION 5

Which main file contains the LVM configuration information?

- A. lvmrc
- B. lvmpvg
- C. lvmtab
- D. lvmconf
- E. lvminfo

Answer: C

QUESTION 6

You have expanded an existing LUN in your EVA storage. The LUN belongs to an HP-UX 11i v3 LVM volume group (VG). You want to expand the volume group to reflect the new LUN size. What is the most efficient way to accomplish this?

- A. You cannot expand a physical volume when using LVM.
- B. Create another physical volume and extend your current VG.
- C. Backup, remove, create and restore the data to reflect the new size.
- D. Use the vgmodify command to change the physical volume attributes.

Answer: D

QUESTION 7

What does the expression by daemon mean in the /var/adm/kc.log?

```
Change to configuration "nextboot"
at 15:02:06 MET on 13 March 2004 by daemon:
Module "MouseMUX" version [3F340BA2] changed from unused to static (depend).
Module "UsbBootMouse" version [3F340BA2] changed from unused to static (explicit).
```

```
=====  
Change to configuration "nextboot"
at 15:03:17 MET on 13 March 2004 by daemon:
Module "UsbOhci" version [3F340BA2] changed from unused to static (explicit).
Module "libusbohci" version [3F340BA2] changed from unused to static (depend).
```

```
=====  
Change to configuration "current"
at 15:17:47 MET on 13 March 2004 by root:
Module "ipf" version 0.1.0 changed from loaded (explicit) to unused (explicit).
```

- A. kernel module was changed via SAM
- B. kernel module was changed via the web interface (SMH/kcweb)
- C. kernel module was changed on command line
- D. kernel module was changed by any user with GID root

Answer: B

